



Where Special Comes As Standard

YT193-223

YARD / TERMINAL TRACTOR

Durable, ergonomic, and easy to service. Ready to work in the toughest environments. Available in both Off-Road and On-Road configurations.



BUILT TO LAST
READY
TO WORK

(888) 973-3421
www.terbergtaylor.com



Built to Last Ready to Work

YT193 / YT223 TERMINAL TRACTORS

Designed for ports, distribution centers, and industrial operations.

YT193/223: FEATURES & BENEFITS

OPERATOR FIRST:

1. Modern Spacious Steel Cabin with Premium Side Door delivering a Quiet Temperature Controlled Cabin
2. Side Door Providing Optimal Egress for Driver
3. Elite Ride Quality with Tight Steer Angles
4. Optional Handrail Configuration
5. Low & Consistent Step Height
6. Ingress & Egress Options with Anti-Slip Edges
7. Ergonomic Fingertip Controls
8. Informative and Highly Intuitive Dash
9. Air Conditioning
10. Premium Seat, Cup Holders & Coat Hook
11. Ground Level Pre-Trip Checks



STRONGEST IN THE INDUSTRY:

12. 1-3/16" Fully Galvanized Frame
13. Fully Cased Component Protection
14. Toughest Lifting Boom in the Industry Paired with 80,000-lb Cylinders
15. Proven Axles:
 - Front: 22,000 lbs @12 mph
 - Rear: 66,000 lbs @12 mph
16. Steel Hydraulic Lines
17. Industrial Heavy-Duty Three-Piece Bumper




TECHNOLOGY:

18. Terberg OEM 2.0 Control System
19. Canbus Wiring providing Intuitive Diagnostic Ability
20. Included **TERBERGCONNECT**® with a 5-year Complimentary Subscription (See side panel for more information)

MAINTENANCE:

21. Dealer Supported with Local Facilities & Mobile Technicians
22. In-territory Parts Availability
23. OEM On-call Support Available
24. Parts Online: Premium Technical Support
25. Classroom & Hands-on Training Available



YT192/223: BASIC SPECIFICATIONS

Type: Diesel Terminal Tractors
GCW: 187,000-264,000 lbs.*
Engine: Cummins B6.7 Stage V / EPA*** 190 HP - 225 HP


Driveline: 4 x 2
Front Axle Rating: 22,000 lbs @12 mph
Rear Axle Rating: 66,000 lbs @12 mph



OPTIMIZE FLEET MANAGEMENT & UPTIME

By including Terberg Connect tractor telematics in your tractor solution you can use valuable data to optimize your terminal/yard operations:

- Schedule proactive maintenance based on the number of running hours
- Incoming fault codes enable service engineers to quickly diagnose
- Enable efficient remote support and/or on-site cost-effective 'first time right' repair
- Monitor idle time per tractor and use the data to improve efficiency
- Monitor fuel consumption



5th Wheel: Holland cast steel plate 2 in
5th Wheel Plate Rate: 80,000 lbs **

* Depending on axle ratio and operating conditions
** Depending on how equipped and operating conditions
*** Depending on off-road / DOT configuration





(888) 973-3421
www.terbergtaylor.com



Scan or Click

